

Table 54. MCH Performance, 2004 and 2005

Indicator	2004 No (%)	2005 No (%)
Pregnant mothers registered at home	336,186 (92%)	338,574 (91%)
Visits to pregnant mothers by PHM		
First visit	337,576	345,811
Subsequent visits	1,390,310	1,377,678
Pregnant mothers registered before 12 weeks	272,709 (74%)	280,034 (76%)
Teenage pregnancies under care	12,246 (7%)	11,993 (6%)
Pregnant Mothers Protected with Rubella vaccine	158,418 (84%)	170,065 (87%)
Post partum visits by PHM (visited once during 1 st 10 days)	243,959 (66%)	247,193 (67%)
Infant Registered by PHM	296,687 (82%)	297,662 (80%)
Visits of pregnant mothers to clinics		
First visits	351,686	363,724
Subsequent visits	1,922,166	2,017,946
Visits of infants to clinics		
First visits	304,683	318,300
Subsequent visits	1,370,432	1,412,210
Infant Deaths reported by PHM	3,528	3,164
Prenatal Deaths reported by PHM	4,838	4,564

Source; H 509- R & E Unit-, Family Health Bureau

Table 55 Family Planning new acceptors by method 2000-2005

Method	2000	2001	2002	2003	2004	2005
Permanent Methods						
Vasectomy	242	154	120	116	97	99
Tubectomy	15,499	15,063	14,949	10,940	10,879	10,228
Temporary methods						
IUD	28,832	32,498	39,385	38,608	34,785	39,109
Pill	50,212	47,627	49,972	44,961	44,094	46,688
Injectable	118,577	136,711	145,202	127,380	119,714	123,101
Implant	1,265	1,269	1,476	1,673	1,985	1,791
Total	214,627	233,322	251,104	223,678	211,554	221,016

Source: H 1200 - R & E Unit - Family Health Bureau

Table 56. Causes of Maternal Deaths -2004

Cause of death	No	%
Haemorrhage (APH, PPH)	32	22.07
Eclampsia & PIH	25	17.24
Heart disease complicating pregnancy	25	17.24
Septic abortion	17	11.72
AF/embolism P/embolism	3	2.07
Ectopic Pregnancy	7	4.83
Postpartum Septicemia	6	4.14
Liver Disease/Viral Hepatitis Complicating pregnancy	6	4.14
Pneumonia / TB	2	1.38
Uterine rupture	2	1.38
Diabetics Mellitus	2	1.38
Bronchial Asthma	2	1.38
Anemia complicating pregnancy	2	1.38
Cause not known	6	4.14
Other causes	8	5.52
Total	145	100

Source: Family Health Bureau

Activities	2004		2005	
	No	%	No	%
Diabetes Mellitus cases detected	1,621	2.9	1,968	2.9
Hypertension cases detected	3,702	6.7	4,462	6.6
Breast abnormalities detected	1,222	2.2	1,231	1.8
No of Pap smears taken	39,719	71.8	53,408	78.7
Unsatisfactory smears reported	1,278	2.3	1,759	2.6
Total CIN +ves.	343	0.6	321	0.5
HPV infection reported	227	0.4	94	0.1
Malignancies detected	43	0.1	19	0
Inflammatory smears reported	2,227	4	2,935	4.3

Source 509- R & E Unit –Family Health Bureau

Table 58. Results of Blood Film Examination (Malaria) in Sri Lanka - (1994 – 2005)

Year	# Blood Films	#Positives	P.v.	P.f.
1994	1,370,831	273,502	225,864	47,638
1995	1,098,105	142,294	119,056	23,238
1996	1,288,990	184,319	139,362	44,957
1997	1,330,659	218,550	163,856	54,694
1998	1,338,146	211,691	169,295	42,396
1999	1,582,111	264,549	200,671	63,878
2000	1,781,372	210,039	150,389	59,650
2001	1,353,386	66,522	55,922	10,600
2002	1,387,953	41,411	36,535	4,876
2003	1,192,259	10,510	9,237	1,273
2004	1,198,181	3,720	3,171	500*
2005	974,672	1,640	1,506	94**

Source : Malaria Control Unit

P.v. – Plasmodium vivax cases

P.f. – Plasmodium falciparum cases

* (49-mixed Pv + Pf)

** (39-mixed Pv + Pf & 1P.ovale)

Table 59. Distribution of Malaria Cases by Age - 2005

Age Group	2004		2005	
	Frequency	Percentage %	Frequency	Percentage %
Under 01 yr	26	1	13	1
1 – 5 yrs	290	8	152	9
6 – 9 yrs	339	9	178	11
10 – 14 yrs	524	14	216	13
Over 15 yrs	2,541	68	1,081	66
Total	3,720	100	1,640	100

Source : Malaria Control Unit

Table 60 District wise distribution of Malaria Cases- 2005

District	Blood Films	Positive	<i>P.v.</i>	<i>P.f.</i>	<i>P.o</i>	<i>Mixed</i>
Colombo	45,788	17	9	7	1	-
Gampaha	36,014	62	60	1	-	1
Kalutara	7,296	4	2	1	-	1
Kandy	26,721	17	13	2	-	2
Matale	11,135	18	16	2	-	-
N' Eliya	238	-	-	-	-	-
Galle	768	-	-	-	-	-
Matara	8,636	10	10	-	-	-
Hambantota	34,158	6	6	-	-	-
Jaffna	83,823	24	21	-	-	3
Kilinochchi	30,679	16	16	-	-	-
Vavuniya	29,451	62	56	6	-	-
Mannar	26,202	4	3	1	-	-
Mullativu	27,125	5	5	-	-	-
Batticaloa	87,336	84	75	9	-	-
Ampara	20,008	33	21	11	-	1
Kalmune	34,175	93	87	3	-	3
Trincomalie	33,157	286	279	1	-	6
Kurunegala	106,750	258	254	1	-	3
Puttalam	26,960	106	73	32	-	1
Anuradhapura	144,108	448	421	12	-	15
Polonnaruwa	48,616	37	34	2	-	1
Badulla	23,944	5	3	-	-	2
Moneragala	59,041	17	16	1	-	-
Ratnapura	16,956	22	20	2	-	-
Kegalle	5,587	6	6	-	-	-
Total	974,672	1,640	1,506	94	1	39

Source: Anti Malaria Campaign

Table 61 . Distribution of Notifiable Diseases by District, 2005

District	Tetanus		Measles		Tuberculosis		Viral Hepatitis		Typhoid Fever		Leptospirosis		Malaria		Viral Encephalites		Food Poisoning		Shigellosis		Dengue Haemorrhagic Fever		Rubella ²		Total	
	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths
Colombo	5	3	2	1	1,067	61	247	2	313	1	601	63	72	1	34	7	283	-	786	2	650	8	2	-	4,062	154
Gampaha ¹	5	1	9	-	525	20	181	-	93	-	566	12	140	-	4	-	200	-	225	1	388	2	2	-	2,338	37
Kalutara	1	-	1	-	494	3	41	-	111	-	270	4	17	-	6	-	116	-	142	-	52	-	7	-	1,258	8
Kandy	6	2	12	-	1,232	41	209	1	321	-	204	7	72	-	6	2	284	-	435	1	20	2	2	-	2,803	58
Matale	1	-	2	-	314	14	50	-	168	-	203	-	42	-	1	-	107	-	398	-	3	-	-	-	1,289	14
Nuwara Eliya	-	-	18	-	106	2	27	-	308	7	42	-	20	-	-	-	365	1	285	-	5	-	2	-	1,178	11
Galle	2	-	2	-	508	42	50	-	63	-	420	23	17	-	5	1	271	2	68	-	30	-	-	-	1,436	68
Matara	4	1	1	-	182	-	25	-	133	-	431	8	162	-	-	-	87	-	147	-	24	-	-	-	1,196	9
Hambantota	-	-	31	-	44	-	48	-	135	-	48	-	11	-	-	-	256	-	288	-	1	-	2	-	864	1
Jaffna	4	1	-	-	547	6	257	1	676	3	23	6	429	-	2	-	181	1	370	-	8	2	1	-	2,498	30
Kilinochchi	1	-	1	-	12	-	2	-	22	-	7	-	59	-	1	-	3	-	7	-	3	-	-	-	111	1
Mannar	-	-	-	-	76	2	15	-	195	-	7	-	88	-	-	-	56	-	100	-	1	-	-	-	538	3
Vavuniya	-	-	-	-	50	-	31	-	100	-	-	-	107	-	-	-	39	-	20	-	-	-	-	-	347	-
Mullativu	-	-	1	-	29	-	33	-	33	-	-	-	31	-	-	-	16	-	9	-	-	-	-	-	152	-
Batticaloa	-	-	-	-	291	14	732	-	190	-	42	-	847	-	73	-	147	21	524	27	13	-	131	-	2,990	62
Ampara ³	-	-	-	-	319	9	302	-	84	-	37	1	1,292	1	8	1	176	-	187	-	2	-	3	-	2,410	12
Trincomalee	-	-	1	-	201	8	370	-	92	-	16	-	371	-	-	-	168	-	281	-	19	-	-	-	1,519	9
Kurunagala	5	-	8	-	811	36	111	-	180	-	135	7	245	1	5	-	182	-	553	-	29	1	1	-	2,265	46
Puttalam	1	-	-	-	150	10	80	1	390	-	17	1	130	-	19	1	97	-	200	-	65	-	-	-	1,149	13
Anuradhapura	2	1	14	-	244	10	82	-	51	-	160	7	281	-	6	1	138	-	213	-	13	-	-	-	1,204	21
Polonnaruwa	-	-	-	-	59	2	30	-	50	-	47	-	87	-	3	1	58	-	27	-	6	-	-	-	367	3
Badulla	2	-	1	-	298	15	374	-	402	-	176	2	131	-	7	-	200	-	588	3	9	-	-	-	2,188	22
Moneragala	-	-	7	-	82	2	160	1	145	1	283	4	99	-	3	1	261	-	235	-	-	-	-	-	1,275	9
Ratnapura	3	-	4	1	645	28	113	1	489	11	133	1	40	-	5	1	118	-	857	93	38	1	2	-	2,447	138
Kegalle	-	-	14	-	199	8	61	-	39	-	186	1	2	-	1	1	77	-	281	-	5	-	1	-	866	10
Total	42	9	129	2	8,485	333	3,631	7	4,783	23	4,047	147	4,792	3	189	17	3,886	25	7,226	127	1,384	16	156	-	38,750	739

Source : Epidemiology Unit

Includes:

¹ TB Patients treated at Welisara Hospital (15 cases 0 deaths)² Congenital Rubella³ Kalmunai DPDHS Division

Based on the Indoor Morbidity and Mortality Return.

No cases of poliomyelitis and diphtheria were reported.

173 cases of HIV and 13 deaths were reported.

Table 62. Age Distribution of Notifiable Diseases¹, 2005

Age Group	Dysentery ¹		Enteric Fever ¹		Food Poisoning ¹		Human Rabies ²		Leptospirosis ¹		Measles ²		Tetanus ²		
	Cases	%	Cases	%	Cases	%	Cases	%	Cases	%	Cases	%	Cases	%	
Under 1	338	11.6	5	0.6	0	0.0	0	-	1	-	10	41.7	0	0.0	
1-4	836	28.7	78	9.5	10	3.6	3	3.8	2	0.3	0	0.0	0	-	
5-14	637	21.9	199	24.3	28	10.1	11	13.8	18	2.9	5	20.8	1	4.0	
15-24	275	9.5	174	21.3	146	52.9	5	6.3	131	21.2	4	16.7	0	0.0	
25-49	455	15.6	280	34.2	66	23.9	29	36.3	357	57.8	4	16.7	7	28.0	
50-59	142	4.9	52	6.4	11	4.0	15	18.8	82	13.3	0	-	10	40.0	
60 and over	225	7.7	30	3.7	15	5.4	17	21.3	27	4.4	1	-	7	28.0	
Unknown															
All ages	2,908	100.0	818	100.0	276	100.0	80	100.0	618	99.8	24	95.8	25	100.0	

¹ Confirmed cases² From special surveillance

Tetanus - including 2 cases of neo-natal tetanus

Source : Epidemiological Unit

Table 63. Distribution of Notifiable¹ Diseases by Month, 2005

Month	Dysentery ¹	Encephalitis ²	Enteric Fever ¹	Food Poisoning ¹	Human Rabies ²	Leptospirosis ¹	Measles ²	Tetanus ²	Viral Hepatitis ²	Dengue Haemorrhagic Fever ²	Simple Continued Fever ¹
January	250	16	79	7	2	46	3	0	49	137	5
February	163	7	79	50	4	56	4	2	41	72	4
March	156	6	72	55	5	37	1	2	53	55	4
April	183	3	64	16	1	36	2	3	65	88	2
May	221	3	82	18	7	61	3	4	94	170	7
June	211	5	60	17	5	38	0	1	82	223	5
July	210	4	64	15	3	32	0	0	55	324	9
August	197	1	64	15	2	63	0	1	61	231	7
September	198	4	47	21	6	71	2	3	37	149	6
October	242	3	42	15	7	53	3	3	48	155	1
November	533	3	64	22	3	63	1	1	24	245	8
December	344	10	101	25	5	62	5	1	31	190	12
Unknown		-	-	-	-	-	-	-	-	1	
Total	2,908	65	818	276	50	618	24	21	640	2,040	70

¹ Confirmed Cases

Source : Epidemiological Unit

² From special surveillance**Table 64. Cases, Deaths and Case Fatality Rate (CFR) of Japanese Encephalitis and Dengue Haemorrhagic Fever, 1990 - 2005**

Year	Japanese Encephalitis				Dengue Haemorrhagic Fever			
	Cases		Deaths	C.F.R.	Cases		Deaths	C.F.R.
	No.	Rate			No.	Rate		
1990	387	2.3	43	11.1	1,350	7.9	54	4.0
1991	325	1.9	25	7.7	1,048	6.1	31	3.0
1992	291	1.7	27	9.3	656	3.8	15	2.3
1993	289	1.6	52	18.0	756	4.3	7	0.9
1994	230	1.3	41	17.6	582	3.3	7	1.2
1995	173	1.0	32	18.5	440	2.4	11	2.5
1996	307	1.7	44	14.4	1,294	7.1	54	4.2
1997	164	0.9	19	11.9	980	5.3	17	1.7
1998	122	0.7	3	2.5	1,275	6.9	8	0.6
1999	102	0.5	3	2.9	1,688	6.8	14	0.8
2000	83	0.5	2	2.4	3,333	19.8	37	1.1
2001	66	0.4	9	13.6	3,771	19.9	47	1.3
2002	113	0.6	15	13.2	2,977	15.6	64	2.2
2003	133	0.7	20	15.0	1,605	8.3	32	2.0
2004	129	0.7	9	6.9	4,001	20.5	88	2.2
2005	65	0.3	6	9.2	2,039	10.4	34	1.6

Based on Special surveillance

Source : Epidemiological Unit

Incidence rate per 100,000 population

Case fatality rate (CFR) percentage

Table 65. Distribution of Cases and Deaths due to Japanese Encephalitis and Dengue Haemorrhagic Fever by DPDHS Divisions, 2005

Division	Japanese Encephalitis			Dengue Haemorrhagic Fever		
	Cases	Positives*	Deaths	* Suspected cases	** Confirmed cases	Deaths
Colombo	13	13	0	1985	814	6
Gampaha	3	2	0	1252	333	10
Kalutara	2	0	0	442	130	1
Kandy	2	0	0	623	173	4
Matale	3	2	1	69	38	0
Nuwara Eliya ¹				23	10	0
Galle	4	1	1	93	38	0
Matara	1	0	0	172	38	0
Hambantota	1	1	0	44	18	0
Jaffna	3	0	2	14	4	0
Kilinochchi ¹				4	2	0
Mannar	0	0	0	0	0	0
Vavuniya	2	0	0	24	0	0
Mullativu ¹				0	0	0
Batticaloa	0	0	0	7	2	0
Ampara ¹				10	2	0
Kalmunai	0	0	0	5	3	0
Trincomalee	0	0	0	48	19	1
Kurunegala	6	3	0	154	84	2
Puttalam	2	2	0	126	34	0
Anuradhapura	2	0	0	162	95	0
Polonnaruwa ¹				61	15	0
Badulla	0	0	0	78	38	0
Moneragala	1	0	0	12	7	1
Ratnapura	15	8	2	425	74	2
Kegalle	5	1	0	138	69	1
Total	65	33	6	5,971	2,040	28

Based on Special surveillance

Source: Epidemiological Unit

* Data received from the Medical Research Institute

¹ Not relevant

Table 66. Cases and deaths of Japanese Encephalitis and Dengue Haemorrhagic Fever by Months, 2005

Month	Japanese Encephalitis			Dengue Haemorrhagic Fever		
	Suspected Cases	Positives *	Deaths	* Suspected cases	** confirmed cases	Deaths
January	16	12	1	379	137	0
February	7	6	0	247	72	4
March	6	4	1	236	55	1
April	3	2	0	230	88	1
May	3	0	1	243	170	2
June	5	2	1	418	223	8
July	4	0	1	762	324	8
August	1	0	0	813	231	0
September	4	1	0	704	149	0
October	3	0	1	383	155	1
November	3	0	0	461	245	0
December	10	6	0	1,095	190	3
Unknown				0	1	0
Total	65	33	6	5,971	2,040	28

Based on Special Surveillance

Source : Epidemiological Unit.

* Data received from the Medical Research Institute

Table 67. Cases and Deaths of Japanese Encephalitis and Dengue Haemorrhagic Fever by Age Groups, 2005

Age Group	Japanese Encephalitis				Dengue Haemorrhagic Fever			
	Cases		Deaths		Cases		Deaths	
	No	%	No	%	No	%	No	%
under 1	2	3.1	1	-	51	2.5	0	-
1 - 4	9	13.8	1	16.7	208	10.2	8	28.6
5 - 9	5	7.7	1	16.7	300	14.7	4	14.3
10 - 14	6	9.2	0	0.0	193	9.5	2	7.1
15 - 19	11	16.9	1	16.7	162	7.9	2	7.1
20 - 24	2	3.1	0	-	254	12.5	1	3.6
25 - 29	5	7.7	0	-	224	11.0	1	3.6
30 - 34	9	13.8	0	-	199	9.8	0	0.0
35 - 39	2	3.1	0	-	131	6.4	0	0.0
40 - 44	2	3.1	1	16.7	97	4.8	1	3.6
45 - 49	4	6.2	0	0.0	78	3.8	2	-
50 - 54	2	3.1	1	-	65	3.2	5	17.9
55 - 59	2	3.1	0	-	30	1.5	1	-
> 60	3	4.6	0	0.0	48	2.4	1	-
Unknown	1	1.5	0	-	0	0.0	0	-
Total	65	100.0	6	100.0	2,040	100.0	28	100.0

Based on Special Surveillance

Source : Epidemiological Unit

Table 68. Incidence of EPI Target Diseases, 1955-2005

Year	Polio myelitis		Diphtheria		Whooping Cough		Tetanus		Tetanus Neo-natorum		Tuberculosis		Measles	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate ¹	Cases	Rate	Cases	Rate
1955	155	1.8	1,179	13.5	1,941	22.2	873	10.0	-	-	-	-	3,499	40.1
1960	303	3.1	1,042	10.5	1,786	18.0	1,435	14.5	-	-	10,519	106.3	3,060	30.9
1965	494	4.4	1,232	11.0	2,109	18.9	1,812	16.2	-	-	6,927	62.0	2,037	18.2
1970	405	3.2	986	7.9	1,651	13.2	1,441	11.5	847	230.2	5,762	46.0	4,086	32.6
1975	396	2.9	310	2.3	1,341	9.9	1,186	8.8	812	216.0	7,324	54.3	5,000	37.0
1980	262	1.8	37	0.3	542	3.7	892	6.0	351	83.9	6,212	42.1	5,032	34.1
1985	40	0.3	10	0.1	536	3.4	405	2.6	76	19.5	5,889	37.2	9,398	59.3
1986	34	0.2	3	0.0	161	1.0	453	2.8	49	13.6	6,596	40.9	6,235	38.7
1987	149	0.9	-	-	31	0.2	258	1.6	37	10.3	6,411	39.2	3,508	21.4
1988	25	0.2	-	-	25	0.2	273	1.6	39	12.8	6,092	36.7	2,650	16.0
1989	16	0.1	-	-	61	0.4	295	1.8	19	5.3	6,429	38.2	780	4.6
1990	9	0.1	-	-	271	1.9	183	1.1	5	4.7	6,666	39.2	4,004	27.6
1991	1	0.0	1	0.0	25	0.2	188	1.3	10	3.7	6,174	35.7	1,896	12.8
1992	12	0.1	-	-	6	0.0	231	1.3	14	2.6	6,802	39.0	701	4.0
1993	15	0.1	1	0.0	18	0.1	196	1.1	11	3.7	6,885	39.0	558	3.2
1994	-	-	-	-	34	0.3	156	1.1	11	2.0	6,121	34.3	390	2.2
1995	-	-	-	-	171	1.0	167	1.0	2	3.0	5,869	31.5	465	2.6
1996	-	-	1	0.0	33	0.2	97	0.7	6	4.8	5,366	29.3	158	0.9
1997	-	-	-	-	205	1.8	23	0.5	4	3.5	6,547	35.6	66	0.4
1998	-	-	-	-	94	0.5	24	0.1	4	4.5	6,925	36.9	23	0.1
1999	-	-	-	-	61	0.3	23	0.1	3	4.0	7,157	37.6	2,341	12.5
2000	-	-	-	-	88	0.5	38	0.2	1	0.3	8,129	42.9	4,096	21.2
2001	-	-	-	-	52	0.3	75	0.4	3	0.8	8,418	45.0	309	1.7
2002	-	-	-	-	16	0.1	34	0.2	2	0.6	8,884	46.9	139	0.7
2003	-	-	-	-	-	-	30	0.2	2	0.6	9,312	48.4	65	0.4
2004	-	-	-	-	-	-	32	0.2	1	0.6	8,639	48.4	35	0.4
2005	-	-	-	-	-	-	25	0.1	1	0.6	9,448	48.4	24	0.4

Rate per 100,000 population

Data from year 1990 to 2002, are based on hospital admissions and conformed with special surveillance

¹ Rate per 100,000 live births

Source : Epidemiological Unit

Table 69. EPI Coverage by DPDHS divisions for selected antigens - 2005

DPDHS area	No of Infants	Infants												At 1 1/2 years		At 3 years		At 5 years		At 10-15 years	
		BCG		DPT 1/ OPV 1		DPT 3/OPV 3		Measles		DPT 4/ OPV 4		MR		DT 5/ OPV 5		Adult Tetanus Diphtheria					
		A	B	A	B	A	B	A	B	A	B	A	B	A	B	A	B				
		Number of doses																			
Colombo	63,641	82.42	80.9	35723	56.1	55.2	98.4	56.5	101	53.6	95.5	47.4	84.5	48.7	86.8	31.3	55.9				
Gampaha	26,186	111.8	101	34153	130	128.9	98.9	134	103	122.9	94.2	129	99	126	96.6	86.5	66.4				
Kalutara	17,017	83.33	84.6	19219	113	111.9	99.1	119	105	114.2	101.2	111	98.3	113.9	100.9	83.3	73.8				
Kandy	30,341	95.31	96	23922	78.8	77	97.7	79.7	101	78.3	99.3	75.2	95.4	73.9	93.8	69.9	88.7				
Matale	9415	95.67	98.4	8365	88.8	89.2	100.4	90.7	102	89.9	101.3	92	104	86.8	97.8	74.1	83.5				
N' Eliya	10,892	105.5	109	13164	121	122.6	101.4	120	99.1	125.7	104	117	96.5	118	97.7	93	77				
Galle	19,702	78.98	83.5	17174	87.2	86.2	98.9	95.1	109	89.4	102.6	87.3	100	89.9	103.2	57.1	65.6				
Hambanto	7525	105.3	104	10546	140	135.7	96.9	139	99.3	138.4	98.8	126	89.7	129.2	92.2	104.5	74.6				
Matara	14,378	94.14	94.9	13552	94.3	91	96.6	95.8	102	92.2	97.9	90.6	96.1	97.8	103.8	92.7	98.4				
Jaffna	10,611	86.4	88.7	9895	93.3	87.8	94.2	87.5	93.9	82.9	89	85.3	91.5	97.2	104.3	100	107.3				
Kilinochchi	2584	107	96.3	2931	113	112.5	99.2	115	101	114.7	101.1	127	112	95.7	84.4	79.7	70.3				
Mannar	1993	72.75	70.3	1624	81.5	92.8	114	87.1	107	79.6	97.8	85.4	105	81.7	100.4	67.5	82.9				
Vavuniya	3882	82.53	92.5	3053	78.6	77.2	98.2	77.3	98.3	73	92.9	81.2	103	96.3	122.5	82.4	104.9				
Mullaitivu	2177	80.72	90	2213	102	99.8	98.2	97.3	95.7	98.3	96.7	93.4	91.9	110	108.2	20.3	20				
Batticaloa	11,110	121	119	12262	110	102.5	92.9	112	102	103.9	94.2	101	91.1	66	59.8	53	48.1				
Ampara	11,909	39.56	94	5113	42.9	40.9	95.3	41.7	97.2	41.3	96.2	36.9	86	39.9	92.9	30.5	71.1				
Trincomale	8115	91.14	87.9	8193	101	97.7	96.8	99.8	98.9	100.7	99.8	104	103	92.2	91.3	84.7	84				
Kurunegala	23,479	105.8	90	26952	115	114.7	99.9	114	98.9	108	94.2	113	98.3	95	82.8	100.3	87.4				
Puttalam	12,379	87.67	85.1	14350	116	115	99.2	114	98.5	114.4	98.7	106	91.6	116.4	100.4	100.1	86.4				
A'pura	15,470	99.37	102	15624	101	99.7	98.8	105	104	102	101	96.3	95.3	92.3	91.5	85.4	84.6				
Polonnaruwa	6998	107.3	99.5	7052	101	97.3	96.6	98.1	97.4	93.3	92.6	92.7	92	94.1	93.4	79.6	79				
Badulla	17,986	93.4	93.4	15424	85.8	84.4	98.5	84.7	98.8	80.9	94.4	79.8	93.1	76.8	89.6	71.3	83.1				
Moneragala	6453	95.11	98	8085	125	122.5	97.8	126	101	125.7	100.3	117	93.7	114.3	91.3	103.8	82.9				
Ratnapura	18,158	102	95.6	18309	101	98.4	97.6	104	103	99.2	98.4	94.5	93.7	88.5	87.8	56.1	55.7				
Kegalle	8908	105.1	103	14348	161	157.8	98	162	101	155.4	96.5	152	94.1	152.8	94.9	128	79.5				
Kalmunai	7538	114.8	106	7712	102	96.5	94.4	107	105	100.2	98	102	99.8	101.1	98.8	64.4	63				
Sri Lanka	368,847	93.3	92..9	348958	94.6	92.9	92.5	95.8	95.4	92.2	91.8	89.8	89.5	88	93	71.2	70.9				

* BCG - Actual births as reported by Registrar General for 20 respective DPDHS division - 2005 (excluding some districts of North and East)

Denominators used for the calculation of coverage

Column A - Number of estimated Infants in the district

Column B - DPT1-Immunizations performed in respective DPDHS division - 2005

Source: Epidemiological Unit

Table 70. Morbidity and Mortality of Diarrhoeal Diseases and Case Fatality Rates, 1980-2005

Year	Morbidity		Mortality		Case Fatality Rate
	Number	Rate	Number	Rate	
1980	149,889	961.3	1,520	10.4	1.0
1985	134,474	848.8	1,158	7.3	0.9
1990 ¹	121,464	837.5	437	3.0	0.4
1991 ¹	118,122	802.3	442	3.0	0.4
1992	160,892	924.4	493	2.8	0.3
1993	143,204	812.8	359	2.0	0.3
1994 ²	133,283	760.4	310	1.8	0.2
1995 ³	111,378	676.1	165	1.0	0.2
1996 ⁴	148,848	822.5	231	1.3	0.2
1997 ⁵	162,214	900.7	375	2.1	0.2
1998	176,685	941.1	356	1.9	0.2
1999	158,379	831.7	233	1.2	0.1
2000	144,682	747.4	185	1.0	0.1
2001	160,516	857.4	180	1.0	0.1
2002	141,214	743.6	128	0.7	0.1
2003	119,835	622.5	113	0.6	0.1
2004	103,487	531.7	79	0.4	0.1
2005	108,280	550.5	143	0.7	0.1

Rate per 100,000 population Source : *Epidemiological Unit*

Excludes :

- ¹ Northern and Eastern provinces.
- ² Polonnaruwa district.
- ³ Jaffna, Kilinochchi, Mullaitivu and Ampara districts.
- ⁴ Kilinochchi and Mullaitivu district
- ⁵ Ampara district
- ⁶ Kilinochchi district

Table 71. Morbidity and Mortality of Shigellosis and Case Fatality Rates, 1980-2005

Year	Morbidity		Mortality		Case Fatality Rate
	Number	Rate	Number	Rate	
1980	7,710	52.3	126	0.9	1.6
1985	12,667	80.0	126	0.8	1.0
1990 ¹	28,284	195.0	180	1.7	0.6
1995 ²	18,488	112.2	54	0.3	0.3
1996 ³	19,267	106.5	57	0.3	0.3
1997 ⁴	21,890	121.5	69	0.4	0.3
1998	20,340	108.3	43	0.2	0.2
1999	16,167	84.9	31	0.2	0.2
2000	10,342	53.4	11	0.1	0.1
2001	10,663	57.0	19	0.1	0.2
2002	11,353	59.8	18	0.1	0.2
2003	8,662	45.0	20	0.1	0.2
2004	9,773	50.2	25	0.1	0.3
2005	7,099	36.1	127	0.6	1.8

Rate per 100,000 population.

Source: Epidemiological Unit

Excludes :

- ¹ Northern and Eastern provinces
- ² Jaffna, Kilinochchi, Mullaitivu and Ampara districts.
- ³ Kilinochchi and Mullaitivu districts.
- ⁴ Ampara district
- ⁵ Kilinochchi districts.

Table 72. Distribution of Leprosy New Cases by Province, 2005

Province	Multibacillary	Paucibacillary	Total New Cases	New Cases per 10,000 Population*
Western	261	598	859	1.5
Central	21	40	61	0.2
Southern	126	93	219	0.9
Northern	19	24	43	0.4
Eastern	162	118	280	1.8
North Western	126	93	219	1.0
North Central	76	57	133	1.1
Uva	8	17	25	0.2
Sabaragamuwa	54	73	127	0.7
Total	853	1,113	1,966	1.0

Source: Anti-Leprosy Campaign

* Rates based on 2005 population estimates

Table 73. Distribution of Active Leprosy Cases by Province, 2005

Province	Total Active Cases	Active Cases per 10,000 Population*
Western	533	1.0
Central	35	0.1
Southern	111	0.5
Northern	41	0.4
Eastern	217	1.4
North Western	170	0.8
North Central	94	0.8
Uva	14	0.1
Sabaragamuwa	82	0.4
Total	1,297	0.7

* Rates based on 2003 population estimates
 Source: Anti-Leprosy Campaign

Table 74. Basic Indicators in Leprosy, 1990-2005

Year	Prevalence	Incidence	Child Rate	Multibacillary Rate	Deformity Rate
	Per 10,000 Population				
1990	1.6	1.5	16.0	14.0	2.5
1991	1.5	1.7	18.0	15.0	6.8
1992	1.2	1.4	16.0	15.0	8.8
1993	1.0	1.1	13.5	16.1	11.3
1994	1.1	1.2	14.0	17.1	8.2
1995	1.0	1.0	11.8	22.4	8.3
1996	0.9	0.8	11.9	21.2	10.8
1997	0.9	0.8	9.2	24.0	9.8
1998	0.7	0.7	11.5	29.0	11.3
1999	0.6	0.8	10.9	35.6	11.4
2000	0.6	0.9	11.3	36.5	9.6
2001	0.8	1.2	7.0	35.0	8.0
2002	0.9	1.2	10.1	35.1	9.7
2003	0.7	1.8	11.5	37.7	8.2
2004	0.7	1.0	8.4	41.6	6.7
2005	0.7	1.0	10.5	41.7	5.7

Source: Anti-Leprosy Campaign

Table 75. Trends in Rabies Control Activities and Human Deaths from Rabies, 1970 - 2005

Year	Vaccination of Dogs	Elimination of Dogs	Dog Heads Examined at MRI		Human Rabies Deaths	
			Number	% Positive	Number +	Rate ¹
1970	11,844	688	535	62.1	262	2.1
1975	42,252	1,610	456	64.7	288	2.1
1980	120,143	36,845	420	52.5	209	1.4
1985	268,561	58,238	344	55.5	113	0.7
1987	293,603	88,919	415	56.4	158	0.9
1988	268,717	55,803	367	66.7	113	0.7
1989	236,728	47,175	734	87.1	173	1.0
1990	412,586	63,233	963	70.2	154 *	0.9
1991	336,053	102,292	1,222	67.8	136	0.7
1992	453,958	98,881	591	60.8	112 *	0.6
1993	491,690	112,098	664	71.8	98 *	0.5
1994	435,204	104,941	702	77.1	105 *	0.5
1995	452,828	106,862	1,217	69.7	124	0.7
1996	606,520	114,337	795	59.7	110	0.8
1997	553,468	91,215	934	85.5	135 *	0.7
1998	578,825	106,245	581	73.4	111 ²	0.6
1999	667,270	106,699	672	70.3	110 ²	0.6
2000	657,597	117,790	559	88.5	109 *	0.6
2001	770,375	119,761	644	66.0	83	0.4
2002	797,565	117,790	644	72.4	64	0.3
2003	664,493	83,350	707	67.5	76	0.4
2004	843,906	89,530	1105**	58.0	98	0.5
2005						

+ Registrar General's Department

Source: Rabies Control Programme

* Notified by MOH

¹ Per 100,000 Population² Medical Statistics Unit

* * The new Laboratory at Galle started functioning