

NCD Statistics 2009

Table 1: Non-communicable Diseases Indoor Morbidity and Mortality Statistics by Broad Disease Groups, 2009

Disease Group	Total ⁽¹⁾	Live Discharges ⁽¹⁾										Deaths ⁽¹⁾	
		Sex		Age Group									
		Male	Female	Under 1	1-4	5-16	17-49	50-69	70 & above	Not known			
Neoplasms (COO-D48)	71,654	31,709	39,945	278	2,059	3,895	22,501	33,351	9,471	99	1,640		
Diabetes mellitus (E10-E14)	69,606	32,393	37,213	23	107	889	20,163	36,374	11,875	175	357		
Mental and behavioral disorders (FOO-F99)	39,927	22,238	17,689	5	154	1,683	26,264	9,668	1,888	265	0		
Hypertensive diseases (10-I15)	97,316	40,084	57,232	0	0	0	21,894	46,072	28,826	524	250		
Ischaemic heart disease (I20-I25)	69,121	35,822	33,299	0	0	0	14,860	35,266	18,812	183	710		
Cerebrovascular disease (I60-I69)	28,712	17,101	11,611	0	0	0	3,786	13,187	11,629	110	1,271		
Diseases of the resp. system exclu. (J20-J22, J40-J98)	202,157	107,296	94,861	35,464	46,929	33,475	39,331	29,619	16,600	739	340		
Traumatic injuries (S00-T19, W59)	763,366	513,864	249,502	5,898	51,901	126,151	399,039	132,882	42,089	5,406	316		
Burns and corrosion (T20-T32)	12,632	6,856	5,776	423	2,753	2,036	5,335	1,563	500	22	188		
Toxic effects of pestocides (T60.0,T60.1-T60.9)	4,563	2,669	1,894	21	190	515	3,121	597	96	23	48		
Snake bites (T63.0)	39,727	24,144	15,583	148	1,220	5,361	22,662	8,669	1,521	146	32		
Toxic effects of other subs. Other than..(T36-T59,T61,T63.1-T65)	49,778	22,663	27,115	478	4,147	7,482	31,821	4,734	1,004	112	116		
Sequelae of injuries, poisoning and of other..(T90-T98)	3,287	2,304	983	50	155	319	2,041	556	147	19	4		

Source : Extracted from Annual Health Bulletin, Ministry of Health, Sri Lanka, page 109

1. Total=Number of live Discharges +Deaths)

Figure 1 : Distribution of NCD Morbidity by Broad Disease Groups, 2009




Table 2: NCD Morbidity and Mortality pattern by Broad Disease Groups, 1990-2009

ICD 10	Cases per 100,000 population										Deaths per 100,000 population									
	1990 ⁽¹⁾	1995 ⁽²⁾	2000	2003	2004	2005	2006	2007	2009	1990 ⁽¹⁾	1995 ⁽²⁾	2000	2003	2004	2005	2006	2007	2009		
Neoplasms (C00-D48)	142.1	190.1	260.2	276.2	301.7	282.2	289.7	329.0	350.4	10.2	11.6	13.2	6.7	15.8	14.0	16.3	17.5	18.5		
Mental and behavioural disorders (F00-F99)	211.3	261.6	247.0	211.4	199.8	215.7	211.1	201.6	195.2	0.4	0.6	0.7	0.1	0.0	0.0	0.0	0.0	0		
Diseases of the circulatory system	645.4	925.5	1153.0	1206.7	1188.2	1236.0	1266.6	1364.6	1376.2	41.7	50.6	54.0	50.3	52.4	52.6	55.6	59.9	60.6		
Diseases of the respiratory system	2057.2	2088.7	2313.4	2352.7	2243.3	2139.2	2536.2	2399.0	2888.4	13.3	16.0	18.1	17.3	18.8	20.2	18.7	18.5	21.9		
Injury, poisoning and certain other consequences of external causes	1799.8	2552.1	3345.7	3371.7	3361.5	3460.6	3809.0	4090.0	4568.2	23.3	22.7	23.6	17.7	17.0	19.6	17.4	17.1	17.2		

Source : Extracted from Annual Health Bulletin, Ministry of Health, Sri Lanka, page 110

Excludes:

1. Northern and Eastern Provinces
2. Jaffna, Kilinochchi, Mullaitivu and Ampara districts

Figure 2 : NCD Trend in Hospital Morbidity Broad Disease Groups, 1990-2009




Figure 3 : NCD Trend in Hospital Mortality by Broad Disease Groups, 1990-2009




Figure 4 : Distribution of NCD Mortality by Broad Disease Groups, 2009

